

高位企業有限公司

Yes Way Enterprise Corporation

<http://WWW.YESWAY.COM.TW>

Certificate Of Origin: **TAIWAN**

34 Years of Excellence

E-Mail: sales@yesway.com.tw

June, 2026



Page	LIST	Description	F/N Version
1	Product Catalog	Company Profile & Catalog	2601S V0
2	Equipment & Certificate	List of Equipment & Certificate	2602S V0
3	High Frequency Flat Cable	85, 90 & 100 Ohm 1~11 pairs	2603S V0
4	DIY Tooling	DIY USB2.0 / SATA3.2 Tooling	2604S V0
5	Serial ATA	IDC MassProduction Tooling Accessory	2605S V0
6	Serial AT Attachment (SATA)	SATA3 (6G)/ SlimSATA/ MicroSATA, Cable & Connector	2606S V0
7	Serial AT Attachment (SATA) / (SAS)	SATA3 / SAS3/ SAS4(24G), Adap. & Backplane,Ext. Cable	2607S V0
8	Serial Attached SCSI (SAS)	SAS 3/4, 8087 8643, Int. Cable & Backplane	2608S V0
9	GPMI / High Definition Multimedia Interface	HDMI 2.2 ,Cable, Connector & Adapter	2609S V0
10	High Speed Serial,Parallel,OEM,ODM	SCSI ,E2C/SGPIO pcb, Adapter, Cat. 7/8	2610S V0
11	Metal Accessory for Server	Bracket, Screw & Panel	2611S V0
12	32 /64 G bps High Frequency Connector Solution	NRZ & PAM4 ,Connector Simulation & Debug	2612S V0
13	Impedance Control PCB for 32 /64 G bps	ODM / OEM Product, Test Fixture & PCB Design	2613S V0
14	Universal Serial Bus 2.0	Adapter, Cable, & Connector	2614S V0
15	Universal Serial Bus 3.0	Gen.1 (5G) Adapter, Ext & Int.Cable	2615S V0
16	USB 4 Gen.2 ,Gen.2*2 ,Gen.3,Gen.3*2	Type C 240W,10/20/40/80G, TB4 40G,External Solution	2616S V0
17	USB 4 / 3.2 Gen.2 ,Gen.2*2 ,Gen.3,Gen.3*2	Type C Redriver,Retimer,10/ 20/ 40G Ext. Solution	2617S V0
18	USB 4 / 3.2 Gen.2 ,Gen.2*2 ,Gen.3,Gen.3*2	Type C, Internal Key A, 10/ 20/ 40G Solution	2618S V0
19	USB 4 / 3.2 Gen.2 ,Gen.2*2 ,Gen.1	Type C,Int. Key B, 5/ 10G,1 & 2 ports Solution	2619S V0
20	USB 4 / 3.2 Gen.2 ,Gen.2*2 ,Gen.1	Type C, Paddle Card, Dongle & Design solution	2620S V0
21	NVME 2.3, Gen.4 16G bps/ Gen.3 8G bps	SFF-8643/8087 miniSAS HD/miniSAS, 85Ω Solution	2621S V0
22	NVME 2.3, Gen.4 16G bps/ Gen.3 8G bps	SFF-8611, Oculink 4i, 8i Solution	2622S V0
23	NVME 2.3, Gen.4 16G bps/ Gen.3 8G bps	SFF-8654, SlimLine 4i, 8i Solution	2623S V0
24	NVME 2.3,PCIe Gen.4 16G bps,Gen.3 8G bps	U.2 / U.3, Tri-mode SFF-8639 Solution	2624S V0
25	NVME 2.3,PCIe Gen.4 16G bps,Gen.3 8G bps	PCIe X4, M.2/ M.3 & Redriver Solution	2625S V0
26	CXL4.0/3.1, Gen.6/5/4 (Passive/Active) 2026 NEW	PCIe X1,X4,X8,X16 Solution	2626S V0
27	NVME 2.3, Gen.5 32G bps/ Gen.4 16G bps	SFF-TA-1016, MCIO 4i, 8i Solution	2627S V0
28	NVME 2.3, Gen.6 64G bps/ Gen.5 32G bps	PCIe, M.2. U.3, U.2, EDSFF Solution	2628S V0
29	NVME 2.3, Gen.6 64G bps/ Gen.5 32G bps	SFF-TA-1002(Gen.Z),SFF-TA-1033(MutilTrack) Solution	2629S V0
30	NEW Production 2025/2026	ODM, Gen.5/6,SAS4 SGPIO Backplane	2630S V0
31	AI, QSFP-DD & OSFP / OSFP-XD, 800G &1.6T	DAC,ACC,AEC,AOC,Loopback,Transceiver	2631S V0

NO Flange MCIO 8i (P27/P29)

Company Profile:

Company : YES WAY ENTERPRISE CORPORATION

Established: 1992

Address : No. 21, Lane 318, Sec. 1, Chieh-Shou Rd., San-Shia 237, New Taipei City, Taiwan

Employee : Taiwan about 60 Area : Taiwan 2600 M2 (2 factories)

Director : Mr. Reo Liu

Contact with Ms. Caroling Lou #346 Line ID: caroling469

Tel : 886-2-2673-5492 Fax: 886-2-2673-5497

E-mail: sales@yesway.com.tw <http://www.yesway.com.tw>



For drawings, technical data or samples, contact your sales engineer.

F/N:2601S

V0



高位企業有限公司
Yes Way Enterprise Corporation

34 Years of Excellence

<http://WWW.YESWAY.COM.TW> E-Mail: sales@yesway.com.tw

Page: 2

Quality Control

June, 2026

Equipment & Certificate

Keysight E5080B ENA, Vector Network Analyzer, 26.5 GHz & **53G**


Auto Switch System 64 ports, 26.5 GHz



Agilent 86100 Infiniium Oscilloscope, 20GHz

Keysight N4433D(26.5G) Ecal,&53GHz

Agilent 54754A/86112A TDR/TDT Module



Cirris Touch 1 Hipot Test System

Utron UT6500 HV Cable Tester

Tektronix TDS3000 OSD 300M

SHUCIT 960 AUTO TESTER



ISO 9001 Certificate

ISO 14000 Certificate

UL



American Systems Registrar, LLC, a provider of third-party system registration and accredited by the ANSI National Accreditation Board attests that:

YES WAY ENTERPRISE CORPORATION
No. 21, LANE 318, SEC. 1, CHIEH SHOU RD.
SAN-HSIA, NEW TAIPEI CITY, TAIWAN, 23743

with a scope of:

DESIGN AND MANUFACTURE OF CONNECTORS FOR THE USE OF COMPUTERS AND RELATED DEVICES

has established a quality management system that is in conformance with the International Quality System Standard:

ISO 9001:2015

ASR Certificate Number: 7841
Date of Certification: November 18, 2022
Date of Certification Expiration: November 17, 2025
Date of Initial Registration: November 18, 2019
Revision: 01
Re-Issue Date:

Richard K. Kim
President

CERTIFICATE OF REGISTRATION

CERTIFICATE



特此授予:
變堤司高位股份有限公司
237新北市三峽區介壽路一段318巷21號

管理體系符合
ISO 14001:2015

驗證範圍:
電腦及相關設備之電子連接線設計與製造

證書編號: ARES/TW/25070385
證書發給日期: 2023-07-11
證書有效日期: 2026-07-10
每次監督審核時間以上次證書審核時間開始不得超過12個月, 且必須取得至少3次符合性監督審核通過, 方能以證書換發新證書。



ARES International Certification Co., Ltd.
No. 12-2, La. H7, Wopeng Rd., Anping Dist., Tainan City 708, Taiwan
TEL: (86-255) 9696 (Ext. Line) FAX: (86-255) 9697
www.ares-reg.com

Underwriters Laboratories Inc.®

FILED 00110108
Project 00000010
March 5, 1995

REPORT
ON
CONFORMANCE - VOLTAGE GRADIENTS

Yes Way Enterprise Corp.
Taichung, Taiwan

Copyright © 1999 Underwriters Laboratories Inc.

Underwriters Laboratories Inc. authorizes the above named company to reproduce this report provided it is reproduced in its entirety.

Underwriters Laboratories Inc. authorizes the above named company to reproduce that portion of this report appearing on this cover page through Page 2.

ED/0010108
000010

And to not be reproduced in public unless
written permission is given.


For drawings, technical data or samples, contact your sales engineer.

F/N:2602S

V0



June, 2026

GED04 4C cable 1.22*4.0mm,HF,Non-toxic	GFA20B 20C T=0.7mm,24G Hz support./P.635	GRB071 Gen.4,30AWG 7C, 4*1.2mm/P0.5mm
		
GHE08 , 6/12GHz/100Ω,8C P 0.8mm	GRA181 Gen.4,30AWG 18C,P0.5mm	GRA211 Gen.4,30AWG 21C,P0.5mm
		
GRE191 Gen.5 30AWG ,6 pairs,P0.5mm	GRF211 TB5 30AWG ,6P+2C,P0.5mm	GRG341 Gen.5 30AWG ,11 Pairs,P0.5mm
		
GXA131 Cat.8/USB4.0, 4Pairs,P.635mm	Z10L Gift cable prime loop USB2.0 cable	PRINTABLE
		
fashion wear as a bracelet		
		
		



USB2.0 / SATA3.2

June, 2026

USB / SATA ,DIY Tooling & Acessory

5XQT-120-TB Protect Box contains USB raw cable *16M, USB conn. (A4M,A4F ,microB5M), 1 hand jig, 1 tester, 1 test cables & 5 adapters.

5XQT-120-TA Protect Box contains miniSATA raw cable *20M, SATA conn. IDC type*30 PCS, 1 hand jig, 1 tester, 2 test cables & 8 adapters.



video:how to assembly
USB cable in 1 minute



video:how to assembly
SATA cable

GLD041 USB 4C black cable, up to be 4.5M

5XPL-212-D series USB A4M cover

CFY08 SATA 8C flat cable, 28AWG



5XAA-178-4AM U2 A4M IDC

5XPL-213-D series USB microB5M cover

MIS07F SATA IDC connector w/ latch



5XAA-179-5M U2 mB5M IDC

5XAA-164-4AF U2 A4F IDC

Support Component



5R05D02 USB AM-micro AB5F adapter
5R05D01 USB AF - miniB5M adapter
5R04D01 USB AF - B4M adapter
5C08A41-X019 RJ45-SATA Test Cable
5R07A06-A USB4F - SATA adapter
5R07A05-A USB4M - SATA adapter
5R19A02-A HDMI 19M adap./ATA*3
5R19A02-A HDMI 19M adap./ATA*3
5R19A02-A HDMI 19M adap./ATA*3
5XQT-121-A Multi-Modular Cable Tester

For drawings, technical data or samples, contact your sales engineer.

F/N:2604S

V0



高位企業有限公司

Yes Way Enterprise Corporation

Certificate Of Origin: **TAIWAN**

<http://WWW.YESWAY.COM.TW>

E-Mail: sales@yesway.com.tw

Page: 5


34 Years of Excellence

Serial AT Attachment

June, 2026


Mass-production Tooling & Accessory

AUTO-SATA SATA auto cable/latch ass'y machine for cable length from 20cm to 120cm with open/short tester. Capacity: 2K pcs per day (8 hrs).



video:Auto assembly
for SATA cable


AUTO-USB2 USB2.0 auto cable/cover ass'y machine for cable length from 20cm to 3m with open/short tester. Capacity: 2K~4K pcs per day(8 hrs).



5XQT-118-B SATA desktop tool



5XQT-118-C latch tooling for SATA




5XQT-118-T5 universal hand press tool



5XQT-118-E USB A4M desktop tool



5XQT-118-F USB microB5M desktop tool



5XQT-118-G USB A4F desktop tool



5XQT-118-L USB A4M cover ass'y tool



5XQT-118-M microB5M cover ass'y tool



other detail

5XQT-181-H
multi-pcs press for USB2.0 A4M
5XQT-118-J
multi-pcs press for USB2.0 microB5M
5XQT-118-N
USB2.0 A4M cover remove tooling
5XQT-118-P
USB2.0 microB5M cover remove tooling
5XQT-118-K
USB2.0 A4M metal-shell assembly tooling

For drawings, technical data or samples, contact your sales engineer.





F/N:2605S

V0



June, 2026

SATA3 (6G)/ SlimSATA/ MicroSATA, Cable & Connector






5C22A14-X055 SATA22M to SATA22F cable with power L=55cm,UL21425	G07A47 Series Slim SATA Cable Halogen-Free SATA connector, IDC type	
		
5E13A30-2 CD-ROM SlimSATA 13F cable	G07A55 Series SATA Cable(no latch)	G07A58-5 SATA Cable, Yellow,MOQ 10K
		
5E16A25-2 CD-ROM Micro SATA 16F cable	G07B06 Series SATA Cable, Black	G07A58-3 SATA Cable, Blue, MOQ 10K
		
CFY-08 Series SATA cable, 4 colors	MIS07F & MIR07F (no latch, black), HI	G07A58-X SATA Cable, Red, MOQ 10K
		



Serial AT Attachment / Serial Attached SCSI

June, 2026




SATA3 / SAS3/ SAS4(24G), Adapter & Backplane,Ext. Cable

5R13A01-A Slim CD-ROM adapter with SATA interface	5R40A13-C 3.5" HDD PATA - SATA adapter	
		
5R22A02-A1 22M/22F / 3.3V output ,hotplug	5C26A01-1100 8088 ext. cable,4X,1M.	5R36A11-G miniSAS36 int./ext. w/ L bkt.
		
5R22A04-A 2.5" HDD Adapter 22M/22F	5R29A02-A SAS 2.5" SAS backplane,2 ports	5R29A01-A SAS 3.5" backplane
		
5R10A05 8porst int/ext adapter + 2color LED	5XPL-167-G SATA 7M*2 adapter PCB	5XPL-167-F SATA22M/29M adapter PCB
		



June, 2026

SAS 3/4, 8087 8643, Int. Cable & Backplane

5G36A72 Series HD MINISAS 36M*2 Cable,100 Ω		5G36B08 Series miniSAS 36M*2 Flat Cable,100 Ω	
			
5G36A73 Series 8643 36M-SATA*4+SB	5C26D02-X048 8087 26M-SATA 7*4	5C32A02-X075 SAS32F 4ch. cable,75cm	
			
5G36A74 Series miniSAS HD-29F*4 Cable	5C36A38-X060 miniSAS36 / SAS 29F*4	5E32A02-4 SAS32F-SATA 7F*4, 75cm	
			
5R36A09 SFF-8087 36M*2/SAS29F*4			
			
5R29A05 SATA 7M *8 - SAS29F*4 ,2 temperatue & 4 fans monitor. for SATA & SAS 6G			
			
For drawings, technical data or samples, contact your sales engineer.			
F/N:2608S			V0



高位企業有限公司
Yes Way Enterprise Corporation

Certificate Of Origin: **TAIWAN**

<http://WWW.YESWAY.COM.TW>

34 Years of Excellence

Mail: sales@yesway.com.tw

Page: 9

GPMI / High Definition Multimedia Interface

June, 2026

HDMI 2.2, Cable & Adapter

P/N:5G24B16-1xxxx C24M *2 + Emark,40G DP+GPMI
support alternative mode / **GPMI**



5G19A05 SERIES

HDMI A19M*2 ultra slim flat cable(30AWG,T=0.7mm)



5G19B02-11000 HDMI 2.2 A19M*2




5G19A03-11000 HDMI A/D, 34AWG



5G19A07-10200 HDMI A19M /A19F cable



5XR24D02-A HDMI A19M / Type C24F a



5G24D02 Series HDMI over Type C cable



5G19D11-11050 HDMI A/C, 34 Awg Cable



5XAD-208-B HDMI A19M,Pitch 0.5mm



GRE191 19C,30Awg,T1.2mm / HDMI 2.2



GFA20B 20C B/W T0.7mm Laminated Cable










For drawings, technical data or samples, contact your sales engineer.

F/N:2609S

V0



June, 2026

5G08Axx Series CAT.8 40G Lan Cable, Slim Type T=1.05mm, Up to 2000 MHz		5R26A01-A E2C temp. fan. monitor card	
			
5R34A01 Slim FDD Adapter		5S68D37 HPD68F LVD/SE+LED	5R10A07 AC97 - HD Audio Adapter
			
5R10A02,R14A01 Audio & 1394 Output Set		5R16A02 Front Output Set	5R40A06 Hot Swap ATA133 Adapter
			
5R48A01/5R48A02 Mobilrack backplane		5R40A09-A BH40M - Socket 40F	5R50A24-1A Slim cd-rom Adapter
			



June, 2026

Bracket, Screw & Panel

5XMA-056-A22

2.5"/3.5" Stack frame set (frame *2, stack kits *4, screw *16)



5XMA-056-A10

2.5"/3.5" frame set(frame *2, screw *8)



5XMA-040-A VHDCI68 L bkt.



5XSC-052 M2 for VHDCI68



5XMA-040-L VHDCI68 L bkt 1U



5XSC-051-A 2#56UNC/4#40UNC



5XMA-037-1 HPD68 panel



5XMA-031-1 HPD68 L bracket



5XSC-029-A 2#56/2#56UNC



5XSC-047 2#56UNC/4#40UNC



5XMA-030-A HPD50 panel



5XMA-013-1 HPD50 L bracket



5XSC-048 2#56UNC



5XSC-046 4#40UNC



5XMA-025-10 HDD fix panel



5XMA-001-1 SATA 4 port panel



5XMA-001-2 SATA 8 port panel



5XMA-024 Centronic50 Lbkt.





32 / 64G bps High Frequency Connector Solution

NRZ & PAM4, Connector Simulation & Debug

June, 2026

Our Strength

Comprehensive connector solutions

. Have you ever wondered whether your latest PCIe Gen 6 or USB4 connector truly complies with PCI-SIG or USB-IF standards?

. Would you like to evaluate your product's performance before committing to costly tooling and mold development?

. If the answer is yes, YesWay is here to help.

. YesWay Enterprise Corporation is your trusted partner for high-speed and high-frequency connector solutions.

. With over 34 years of industry experience and a team of local and international experts, YESWAY provides comprehensive support throughout the entire product development cycle.

Our expertise includes:

Connector design

Mold development

Supplier qualification

High-frequency tooling


Signal integrity validation

PCI-SIG and USB-IF compliance support


From concept to certification, YESWAY helps you reduce development risks, avoid unnecessary retooling costs, and accelerate time-to-market.

Partner with YESWAY for a smarter, more reliable, and cost-effective


Connector impedance compare with multi-models, choice the best one, reduce your tooling charge. save more money & times




PAM4 Measurement Design & debug




Design solution compare with 7 model




3D Model any 3d model




3D Model simulation software setup




SCD21 simulation result




NEXT U2 to U3 simulation result



NEXT U3 to U3 simulation result



SCD21 original measurement result





高位企業有限公司
Yes Way Enterprise Corporation

Certificate Of Origin: **TAIWAN**

<http://WWW.YESWAY.COM.TW>

34 Years of Excellence

E-Mail: sales@yesway.com.tw

Page: 13


June, 2026

Impedance Control PCB for 32 /64 G bps
ODM/ OEM Product, Test Fixture & PCB design


TM164-A-HTF Gen.5 PCIe 164 Male (Lan0~7)



TF164-A-HTF Gen.5 PCIe 164 Female (Lan0~7)




TM164-B-HTF G.5 PCIe 164 Male (Lan8~15)




TM74-A-HTF ODM compression conn



5R09T03 U3 Dual port dip ,Female fixture




TF20-A-HTFD U4 Key A 20F fixture




5R01T03 U3 TRL calibration fixture



TF20-B-HTFD U4 Key B 20F fixture



5R01T01 U3 open,short,Load calibration
5R01T02 U3 1X,2X calibration fixture
5R01T03 U3 TRL calibration fixture
5R09T01 U3 Female fixture



Other impedance control fixture

5R09T04 U3 B Female fixture
5R10T01 U3 microB Female fixture
5R10T02 U3 microB Male fixture
5R20T01 U3 int.20 Male fixture
5R19T01 HDMI A type Female fixture
5R19T02 HDMI C type Female fixture
5R19T03 HDMI D type Female fixture
5R19T04 HDMI E type Female fixture
5R36T01 miniSAS 36 Female fixture
5R07T01 SATA 7 Male fixture

For drawings, technical data or samples, contact your sales engineer.

F/N:2613S

V0



June, 2026

Adapter, Cable, Connector

5G04B03-10150 UL21425(Halogen free) Flat cable for USB 2.0 type , A4M to A4F, black 15cm



5G05A07 Series UL21425(Halogen free) Flat cable for USB 2.0 type , A to MICRO B, black



5G04A02 Series A4M /A4M



5G05B03 Series A/microB5M



5G04A45 Series A4M /A4M



5G04A50 Series A4M/B4M



5G04D01 Series A4M/open end



5G05B02 Series microB5M/A4M



5R10A09 A4F*2 - int. 10P HSG



5G05A06 Series A4M/miniB5M



5XAA-202-5P microB5F connector




5R30A03-A1 Apple30/micro5F



5E05A014-2 Int/Ext USB Cable



5R04A01 A4F ext. - 4P header



5XAA-188-4AM A4M IDC



5XAA-164-4AF A4F IDC



5XAA-162-4BM B4M IDC



5XAA-188-5M microB5M IDC





June, 2026

Gen. 1 (5G) Adapter, Ext. & Int. Cable

P/N: 5G20A23 series

USB3.0 int 20F 90° /270°, Gen.1 5G



P/N: 5G24A35 series

USB3.0 int 20F to A9F dual port w/EAR ,Gen.1 5G




P/N: 5G20A29 series

USB3.0 int 20F 180° to 90°, Gen.1 5G




P/N: 5E20 series

USB3.0 int 20F to A9F *2 R/A type



P/N: 5G24A42 series

USB3.0 int 20F 270° to C24F w/EAR, Gen.1 5G



P/N: 5G10A02 series

USB3.0 A9F to microB10M, Gen.1 5G



P/N: 5G20A03 series

USB3.0 int 20F *2 (180° to 180°), Gen.1 5G



P/N: 5G20A09 series

USB3.0 int 20F to (A9F w/Ear) *2, Gen.1 5G




P/N: 5G09A02 series

USB3.0 A9M *2, Gen.1 5G



P/N: 5E20A08 series

USB3.0 int 20F to A9F *2 Vertical type



P/N: 5G20D09 series

USB3.0 int 20F to (A9F W/O ear) *2, Gen.1 5G



P/N: 5G09D05 series

USB3.0 A9M to B9M, Gen.1 5G



5R20D02 USB 3.0*2 +USB2.0*2 adaptor



5R20D01 USB3.0*2 int/ext adaptor





高位企業有限公司

Yes Way Enterprise Corporation

Certificate Of Origin: **TAIWAN**

<http://WWW.YESWAY.COM.TW>

34 Years of Excellence


Mail: sales@yesway.com.tw

Page: 16

USB 4 / 3.2 Gen.3 , Gen.2 , Gen.1

June, 2026

Type C, 240W, 10/20/40/80G, TB4 40G, External Solution

 3.1C24M MOLD 24 HRs R/W TEST Video https://youtu.be/196348M9qGI 	P/N:5G24B36 series: C24M *2 ThunderBolt 4,40G & USB 80G support alternative mode  
P/N:5G24B16-1xxx C24M to 3.1C24M + Emark,40G support alternative mode  	P/N:5G24A36-1xxx C24M *2 ThunderBolt 3,40G & USB 20G support alternative mode  
P/N:5G24A15-1xxx C24M to 3.1C24M MOLD,40G support alternative mode  	P/N:5G24A30-1xxxx C24M to 3.1C24F W/EAR +Emark P/N:5G24A21-1xxxx C24M to 3.1C24F W/EAR  
P/N:5G24A17-1xxxx C24M to 3.1C24F R/A  	P/N:5G24D33-1xxxx 3.1C24F MOLD W/EAR *2  
P/N:5G24A23-1xxxx 3.1C24F R/A *2  	P/N:5G24D34-1xxxx 3.1C24F MOLD W/EAR to C24F R/A  

For drawings, technical data or samples, contact your sales engineer.

F/N:2616S

V0



高位企業有限公司

Yes Way Enterprise Corporation

Certificate Of Origin: **TAIWAN**

<http://WWW.YESWAY.COM.TW>

34 Years of Excellence




Mail: sales@yesway.com.tw

Page: 17

USB 4 / 3.2 Gen.3 , Gen.2 , Gen.1

June, 2026

Type C 24M, Redriver, Retimer, 10/ 20/ 40G Ext. Solution

3.1C24M MOLD 24 HRs R/W TEST Video https://youtu.be/196348M9qGI 	P/N:5G24A32-12000 C24M *SINK redrive + Emark, 2M support ALT. mode DP1.4 *2 Lane+ 3.1C Gen.2 *2 Lane 
P/N:5G24B02-1xxxx C24M U3 A9M MOLD,Gen.2 10G 	P/N:5G24A31-13000 C24M *SINK redrive + Emark, 3M support ALT. mode DP1.4 *4 Lane+ USB2.0 *1 
P/N:5G24A03-1xxxx C24M U3 microB10M ,Gen.2 10G 	P/N:5G24A38-15000 C24M *retimer + Emark, 5M support ALT. mode Source + Sink,both side 
P/N:5G24A01-1xxxx C24M U3 A9F MOLD,Gen.2 10G 	P/N:5G24A37-1xxxx C24M tU3A9M 10G/ C24M 10G V cable,Host A9M/C24M,Device C24M 
P/N: 5G24A04-1xxxx C24M U3 B9M MOLD,Gen.2 10G 	P/N:5G24A09-1xxxx C24M *LOW COST,Gen.2 10G NOT support alternative mode 

For drawings, technical data or samples, contact your sales engineer.

F/N:2617S

V0



高位企業有限公司

Yes Way Enterprise Corporation

Certificate Of Origin: **TAIWAN**

<http://WWW.YESWAY.COM.TW>

34 Years of Excellence

Mail: sales@yesway.com.tw

Page: 18

USB 4 / 3.2 Gen.3 , Gen.2 , Gen.1


June, 2026

Type C, Internal Key A, 10/ 20/ 40G Solution

P/N: 5G20A11-1xxxx 3.1C Int Key A 20M*2,,support USB3.2



3.1C Int Key A 20M MOLD
24 HRs R/W TEST Video
<https://youtu.be/js9d0uTpAVw>



P/N: 5R24A02-A

C24F to Int KA 20F,U3.2 20G




P/N: 5G20A15-1xxxx Key A 20M to U3 A9M MOLD




P/N: 5G24A33-1xxxx C24F to 3.1C Int Key A 20F,USB3.2 20G



P/N: 5G20A13-1xxxx Key A 20M to U3 microB10M MOLD



P/N: 5G24A12-1xxxx Key A 20M to C24F R/A,support USB3.2



P/N: 5G20A27-1xxxx Key A 20M to U3 A9M MOLD W/EAR




P/N: 5G24A20-1xxxx Key A 20M to 3.1C24F,support USB3.2



P/N: 5G20A14-1xxxx Key A 20M to U3 A9F MOLD



P/N: 5G24A25-1xxxx Key A 20M to 3.1C24M,support USB3.2



For drawings, technical data or samples, contact your sales engineer.

F/N:2618S

V0



高位企業有限公司

Yes Way Enterprise Corporation

Certificate Of Origin: **TAIWAN**

<http://WWW.YESWAY.COM.TW>

34 Years of Excellence

Mail: sales@yesway.com.tw

Page: 19

USB 4 / 3.2 Gen.2 , Gen.1

June, 2026

Type C, Internal Key B, 5G/10G, 1 & 2 ports Solution

P/N: 5G20D69-1xxx Key B 20M to KA20F, GEN.2 10G
KB20M Body+Connector W12.5 H5.35 L15.8



P/N: 5G20A42-1xxxx Key B 20M to U3 A9F Dual with EARs



P/N: 5G20A20-1xxxx Key B 20M to U3 A9F W/EAR MOLD *2



P/N: 5G20A21-1xxxx Key B 20M to U3 A9F W/EAR MOLD *1



P/N: 5G20D14-1xxxx Key B 20M to U3 A9F MOLD *2



P/N: 5G20A40-1xxxx Key B 20M to U3 int 20F R/A(90°)



P/N: 5G20A36-1xxxx 3.1C Int Key B 20M MOLD *2



P/N: 5G24A41-1xxxx Key B 20M to C24F(up / down 10G), Patent



P/N: 5G20D13-1xxxx Key B 20M to U3 microB10M MOLD *2



P/N: 5G20A19-1xxxx Key B 20M to U3 Int. 20F



For drawings, technical data or samples, contact your sales engineer.

F/N:2619S

V0



高位企業有限公司

Yes Way Enterprise Corporation

Certificate Of Origin: **TAIWAN**

<http://WWW.YESWAY.COM.TW>

E-Mail: sales@yesway.com.tw


Page: 20

33 Years of Excellence

USB 4.0/3.2 Gen.3 ,Gen.2 ,Gen.1

June, 2026

Type C, Paddle Card, Dongle & Design solution

P/N: 5R24A02-A C24F to int. KeyA adapter. 	U4.0 C24M,P0.5mm,alternative mode support.3A/5A ,Gen.3*2 40G P1 side  P2 side 	P/N:XAA-394-24MA U4.0 C24M,21C,P0.5mm,P1 side P/N:XAA-395-24MA U4.0 C24M,21C,P0.5mm,P2 side P/N:XAA-396-24MA U4.0 C24M,P1 side + Emark P/N:XAD-396-24MT U4.0 C24M,P1 side +TB4+Emark P/N:XAD-395-24MT U4.0 C24M,P2 side +TB4+Emark	
	P/N:XAA-235-20MA U4.0 Gen.3*2 Int Key A 20M,21C,P0.5mm P/N:5XAD-235-20ME U4.0 Int Key A 20M,13C,P0.635mm, Rd 5.1K for U3A9F P/N:XAA-235-20MC U4.0 Int Key A 20M,13C,P0.635mm .Rp 10K for U3A9M	P/N:5XAA257-20MA U3.2 Gen.3 Int Key B 20M,21C,P0.5mm P/N:5XAA-267-20MA U3.2 Key B 20M,13C*2,P0.635mm,Rd 5.1K/A9F 	
P/N:5XAA-279-9FA U3.0 A9F Dual port for 21C P0.5mm 	P/N:5XAB-010-9FB U3.0 A9F for 13C P0.635mm 	P/N: 5XAD003-24MA Paddle card to VGA/HDMI/DP/LAN/USB 	
P/N:5XAA-236-24FA C24F R/A for 21C P0.5mm,Gen2*2 	P/N:XAD-240-24MA Sink Redrive,C24M for 21C,P0.5mm 	P/N: 5XAD001-24MA C24M to VGA paddle card,P0.5/21C 	P/N: 5XAD002-24MA C24M to HDMI paddle card,P0.5/21C 
P/N:5XAB-240-24FC U4.0 C24F for 21C P0.5mm,Gen2*2 	P/N: 5G24A22 series U4.0 C24M,Open End,Gen2*2 	P/N:5G30A02 series C24M - P0.5mm FFC30M,Gen2*2 	P/N:5G30A03 series C24M - IPEX-0.4mmFFC30,Gen2*2 
For drawings, technical data or samples, contact your sales engineer.			F/N:2520S V0

For drawings, technical data or samples, contact your sales engineer.

F/N:2520S

V0



NVME 2.3, Gen.4 16G bps/ Gen.3 8G bps Speed

June, 2026

SFF-8643/8087 miniSAS HD/miniSAS, 85Ω Solution


P/N: 5G36A72 Series SFF-8643 miniSASHD 36M *2



P/N: 5G36A75 series SFF-8643 36M to SFF-8087 36M



P/N: 5G36A76 series SFF-8643 36M (180°) to 36M R/A (90°)



P/N: 5G36B08 series SFF-8087 miniSAS 36M *2, with SideBand



P/N: 5G36D91 series SFF-8643 36M R/A *2



P/N: 5G68D91 series SFF-8643 36M R/A to U.2 68F+ PWR



P/N: 5G68A01 series SFF-8643 36M to U.2 68F+ SATA15P PWR



P/N: 5G75A07 series SFF-8643 36M to M.2 22110 75F + PWR



P/N: 5G64D91 series SFF-8643 36M to PCIe4 64F



P/N: 5G75D91 series SFF-8643 36M to M.2 75F(Vertical)+PWR



For drawings, technical data or samples, contact your sales engineer.

F/N:2621S

V0



高位企業有限公司
Yes Way Enterprise Corporation

Certificate Of Origin: [TAIWAN](#)

<http://WWW.YESWAY.COM.TW>

34 Years of Excellence

E-Mail: sales@yesway.com.tw

Page: 21

NVME 2.3, Gen.4 16G bps/ Gen.3 8G bps Speed

June, 2026

SFF-8643/8087 miniSAS HD/miniSAS, 85Ω Solution


P/N: 5G36A72 Series SFF-8643 miniSASHD 36M *2



P/N: 5G36A75 series SFF-8643 36M to SFF-8087 36M



P/N: 5G36A76 series SFF-8643 36M (180°) to 36M R/A (90°)



P/N: 5G36B08 series SFF-8087 miniSAS 36M *2, with SideBand



P/N: 5G36D91 series SFF-8643 36M R/A *2



P/N: 5G68D91 series SFF-8643 36M R/A to U.2 68F+ PWR



P/N: 5G68A01 series SFF-8643 36M to U.2 68F+ SATA15P PWR



P/N: 5G75A07 series SFF-8643 36M to M.2 22110 75F+ PWR



P/N: 5G64D91 series SFF-8643 36M to PCIe4 64F



P/N: 5G75D91 series SFF-8643 36M to M.2 75F(Vertical)+PWR



For drawings, technical data or samples, contact your sales engineer.

F/N:2621S

V0



高位企業有限公司

Yes Way Enterprise Corporation

Certificate Of Origin: [TAIWAN](#)

<http://WWW.YESWAY.COM.TW>

34 Years of Excellence

E-Mail: sales@yesway.com.tw

Page: 23

NVME 2.3, Gen.4 16G bps/ Gen.3 8G bps Speed


SFF-8654, SlimLine 4i, 8i Solution

June, 2026

P/N: 5G38A02 Series SFF-8654 4i 38M *2



P/N: 5G74A01 series SFF-8654 8i 74M *2, Short-body 17mm




P/N: 5G38A12 series SFF-8654 4i 38M to SFF-8087 36M



P/N: 5G74A05 series SFF-8654 8i to (U.2 8639 68F+SATA PWR) *2



P/N: 5G38A03 series SFF-8654 4i 38M to SFF-8643 36M



P/N: 5G74A07 series SFF-8654 8i 74M to (M.2 75F+PWR) *2




P/N: 5G42A03 series SFF-8654 4i 38M to SFF-8611 4i 42M



P/N: 5G74A02 series SFF-8654 8i 74M to (SFF-8654 4i 38M) *2



P/N: 5G80A01 series SFF-8654 8i 74M to SFF-8611 8i 80M



P/N: 5G74A09 series SFF-8654 8i 74M to (PCIex4 64F+PWR) *2



For drawings, technical data or samples, contact your sales engineer.

F/N:2623S

V0



NVME 2.3, PCIe Gen.4 16G bps, Gen.3 8G bps

June, 2026

U.2 / U.3, Tri-mode SFF-8639 Solution

P/N: 5R68A01 SFF-8643 36F to U.2 68F adapter
P/N: 5R68D02 SFF-8643 36F+SATA7F to U.2 68F adapter



P/N: 5G75A06 Series U.2 68F to M.2 75M(2280,M key)
P/N: 5G75A08 series U.3 68F to M.2 75M(2280,M key)



P/N: 5G68A01 series U.2 68F to 8643 miniSAS HD 36M
P/N: 5G68A13 series U.3 68F to 8643 miniSAS HD 36M



P/N: 5G75F01 series M.2 75M M key / SFF-8654 4i 38M(device)




P/N: 5G68A11 series U.2 68F to 8654 SlimLine 4i 38M
P/N: 5G68A14 series U.3 68F to 8654 SlimLine 4i 38M



P/N: 5G68A07 series U.2 SFF-8639 68M *2
P/N: 5G68D41 series U.3 SFF-8639 68M *2




P/N: 5G68A10 series U.2 68F to 8611 Oculink 4i 42M passive
P/N: 5G68A15 series U.3 SFF-8639 68F to 8611 4i 42M



P/N: 5G68A04 series U.2 8639 68F w/SATA pwr to U.2 8639 68F
P/N: 5G68D42 series U.3 SFF-8639 68F *2



P/N: 5G68A03 series U.2 SFF-8639 68F to PCIe4 64M
P/N: 5G68A18 series U.3 SFF-8639 68F to 68M



P/N: 5G68A06 series U.2 68F w/ SATA PWR cable to U.2 8639 68M
P/N: 5G68A16 series U.3 SFF-8639 68F to 68M





NVME 2.3,PCIe Gen.4 16G bps ,Gen.3 8G bps

June, 2026

PCIe X4, M.2/ **M.3** , & Redriver Solution

P/N: 5G75A01 series **M.2 75F to M.2 75M, 2280 type**
P/N: 5G75D31 series **M.3 75F to M.2 75M, 2280 type**



P/N: 5R75D52 series **M.2 75F(Vertical H5.3) to M.2 75M(2280)**
P/N: 5R75D32 series **M.3 75F(Vertical H5.3) to M.2 75M(2280)**
support SATA/NVME AutoSelect



P/N: 5G75A04 series **M.2 75F to PCIex4 64M**
P/N: 5G75D34 series **M.3 75F to PCIex4 64M**



P/N: 5R75D53 series **M.2 75F(Vertical H5.3mm) to PCIex4 64M**
P/N: 5R75D33 series **M.3 75F(Vertical H5.3mm) to PCIex4 64M**




P/N: 5G75A03 series **M.2 75M 2260 type *2**
P/N: 5G75D43 series **M.3 75M 2260 type *2**




P/N: 5G75D51 series **M.2 75M (2280) type *2,SATA+NVME**
P/N: 5G75D41 series **M.3 75M (2280) type *2,SATA+NVME**




P/N: 5G75A02 series **M.2 75F (22110) *2, M Key type**
P/N: 5G75D42 series **M.3 75F (22110) *2, M Key type**



P/N: 5G75C02 series **M.2 75F(22110) / M.2 75M Redrive,max 1.5M**
P/N: 5G75D36 series **M.3 75F(22110) / M.2 75M Redrive,max 1.5M**



P/N: 5G75A16 series **PCIe X4 64F to M.2 75M, 2280 type**
P/N: 5G75D46 series **PCIe X4 64F to M.3 75M, 2280 type**



P/N: 5G75D14 series **PCIe X4 64M to M.2 75M 2280 type**
P/N: 5G75D44 series **PCIe X4 64M to M.3 75M 2280 type**





高位企業有限公司

Yes Way Enterprise Corporation

Certificate Of Origin: **TAIWAN**

<http://WWW.YESWAY.COM.TW>

Mail: sales@yesway.com.tw

Page: 26

34 Years of Excellence

CXL4.0/ 3.1 , PCIe Gen.4 / Gen.5 (Passive/Active)

June, 2026

PCIe X1,X4,X8,X16 Solution

5G164F10 series Gen .5 PCIe16 164F metal - 164M,A side out

NEW 2026



Gen.4 PCIe16 164M



to PCIe16 164F

PCIex16 164M

G.3 P/N: 5G164A02

G.4 P/N: 5G164B02

PCIe X8 98M


G.3 P/N: 5G164D41

G.4 P/N: 5G164B28

PCIex4 64M

G.3 P/N: 5G164D42

G.4 P/N: 5G164B29



Gen.4 PCIe X8 98M



PCIe X16 164M

G.3 P/N: 5G164D43

G.4 P/N: 5G164B18

PCIe X8 98M

G.3 P/N: 5G98A09

G.4 P/N: 5G98B09

PCIe X4 64M


G.3 P/N: 5G98A22

G.4 P/N: 5G98D72



to PCIe8 98F

Gen.4 PCIe X4 64M



PCIe X16 164M

G.3 P/N: 5G164D44

G.4 P/N: 5G164D74

PCIe X8 98M


G.3 P/N: 5G98D27

G.4 P/N: 5G98D77

PCIe X4 64M

G.3 P/N: 5G64A02

G.4 P/N: 5G64B02



to PCIe X4 64F

P/N: 5G164A07/A17

PCIe X16 164F to PCIe X1 36M

P/N: 5G36B33

PCIe X1 36F to PCIe X1 36M



For drawings, technical data or samples, contact your sales engineer.

F/N:2626S

V0



高位企業有限公司

Yes Way Enterprise Corporation

Certificate Of Origin: [TAIWAN](#)

<http://WWW.YESWAY.COM.TW>

34 Years of Excellence

E-Mail: sales@yesway.com.tw


Page: 27

NVME 2.3, Gen.5 32G bps/ Gen.4 16G bps Speed

SFF-TA-1016, MCIO 4i, 8i Solution


June, 2026

P/N: 5G74F31 series G.5 MCIO 8i 74M *2, NO flange



NEW 2026


P/N: 5G74F01 series G.5 MCIO 8i 74M *2



P/N: 5G38F01 Series G.5 MCIO 4i 38M *2




P/N: 5G74F06 series G.4 MCIO 8i 74M to SFF-8654 8i 74M



P/N: 5G38F11D Series G.4 MCIO 4i 38M to SFF-8654 4i 38M




P/N: 5G74F03 series G.5 MCIO 8i 74M to MCIO 38M*2




P/N: 5G38F12D series G.4 MCIO 4i 38M to SFF-8643 36M




P/N: 5G74F02 series G.4 MCIO 8i 74M to SFF-8654 4i 38M*2



P/N: 5G75F12D series G.5 MCIO 4i 38M to M.2 75F



P/N: 5G74F15D series G.5 MCIO 8i 74M to U.2 8639 68F+PWR *2



For drawings, technical data or samples, contact your sales engineer.

F/N:2627S

V0



NVME 2.3, Gen.6 64G bps/ Gen.5 32G bps

PCIe, M.2, U.3, U.2, EDSFF Solution

June, 2026

5G164F19series Gen .5 PCIe X16 164F / 164M,B side out
5G164F20 series Gen .5 PCIe X16 164F / 164M,A side out



5G164F10D series Gen .5 PCIe X16 164F / 164M,B side out




5G64F03 series Gen .5 PCIe X4 64M / 64F,A side out
5G64F04D series Gen .5 PCIe X4 64M / 64F,B side out




NEW 2026

5G75F05D series Gen .5 M.2 75M / 75F+SATA PWR




5G75F09D series Gen .5 PCIe X4 64M / M.2 75F+SATA PWR




5G68F04D series Gen .5 U.2 68M / U.2 68F+SATA PWR
5G68F05D series Gen .5 U.3 68M / U.3 68F+SATA PWR




5G56F02 series Gen .5 EDSFF Gen.Z 1C 56M / 1C 56F




5G68F03 series Gen .5 PCIe X4 64M / U.2 68F+SATA PWR




5G64F02 series Gen .5 PCIe X4 64M / EDSFF Gen.Z 1C 56F



5G75F05 series Gen .5 M.2 75M / U.2 68F+SATA PWR
5G75F06D series Gen .5 M.2 75M / U.3 68F+SATA PWR



5G75F07D series Gen .5 M.2 75M / EDSFF Gen.Z 1C 56F





NVME 2.3, Gen.6 64G bps/ Gen.5 32G bps


June, 2026

SFF-TA-1002(Gen.Z), SFF-TA-1033(MutilTrack) Solution


MG164C01D series Gen .5 SFF-TA-1033 to PCIe 164F, B side out
MG164C02D series Gen .5 SFF-TA-1033 to PCIe 164F, A side out



5G74F32D series NO Flange MCIO to M.2 75F **NEW 2026**




5G56F02 series Gen .5/6 EDSFF Gen.Z 1C 56M to 1C 56F




MG164C03D series Gen .5 SFF-TA-1033 *2 **NEW**




5G56F01 series Gen .5 EDSFF Gen.Z 1C 56M*2 to 1C 56F




5G68F21D series Gen .5 EDSFF Gen.Z 1C 56M to U.2 68F




5G56F06D series Gen .5 EDSFF Gen.Z 1C 56M to 56F*2



5G68F01 series Gen .5 EDSFF Gen.Z 1C 56M*2 to U.2 68F




5G75F13D series Gen .5 EDSFF Gen.Z 1C 56M to M.2 75F



5G64F02 series Gen .5 PCIe X4 64M to EDSFF Gen.Z 1C 56F



5G68F11D series Gen .5 U.2 68M to Gen.Z 1C 56F





高位企業有限公司

Yes Way Enterprise Corporation

Certificate Of Origin: **TAIWAN**

34 Years of Excellence

<http://WWW.YESWAY.COM.TW> E-Mail: sales@yesway.com.tw

Page: 30

NEW Production 2025/2026

June, 2026

ODM, Gen.5/6, SAS4 SGPIO Backplane


P/N: 5R68A03-4A series

Gen.4 Clk buffer*4 2.5" backplane

P/N: 5R68A03-5A series


Gen.5 Clk bfr*4 2.5" Bp/SATA*4

Clock buffer chip



USB 3.0 of OcuLink 4i 42M to A9F*2 cable set for ASUS M/B

P/N: 5E42A01-2A



P/N: 5G75D32-1xxxx U.2 SFF-8639 68F to M.2 75M (active)




P/N: 5G38A16-AD

12/ 24G,8654 4i to SAS *4 + SGPIO Backplan

P/N: 5R36A15-AD

12/ 24G,8087 to SAS29 *4 Backplane




P/N: 5R24A02-A

Type C24F to Key A adapter. 20 / 40G





P/N: 5G75A21-1xxxx NF1, M.3 75F(H4.0)(22110) / 75M(2280)



P/N: 5G52D01-1xxxx Gen.3 miniPClex1 to Key A 20F extension cab

P/N: 5G75A27-1xxxx M.3 75F(Vert. H5.3) / 75M(2280) B+M key



For drawings, technical data or samples, contact your sales engineer.

F/N:2630S

V0




AI, QSFP-DD & OSFP / OSFP-XD, 800G & 1.6T

DAC, ACC, AEC, AOC, Loopback, Transceiver

June, 2026


Dimension LIST for QSFP-DD, OSFP, OSFP-XD



P/N: MG74A01 series QSFP-DD to QSFP-DD AEC 800G



P/N: MG60A01 series OSFP to QSFP AEC 800G



P/N: MG74B01 series QSFP-DD to QSFP-DD DAC 800G



P/N: MG60B01 series OSFP to QSFP DAC 800G



P/N: MG74C01 series QSFP-DD to QSFP-DD AOC, SR 850nm



P/N: MG60C01 series OSFP to OSFP AOC 800G, SR 850nm



P/N: MR74A01 series QSFP-DD transceiver 800G, DR 1310nm



P/N: MGA6A01 series OSFP-XD to OSFP-XD AEC 1.6TG



Coming soon

P/N: MP08A01 series MTO cable for QSFP-DD transceiver, 800G



For drawings, technical data or samples, contact your sales engineer.

F/N: 2631S

V0